

e-Konsil – Online-Portal für fachärztliche Telekonsilien bei urologischen Tumoren: eine zweite Meinung macht Sinn!

Marianne Leitsmann, Boris Pöhlmann, Björn Broge, Mark Schrader, Chris Protzel, Maurice Stephan Michel, Susanne Krege, Laura-Maria Krabbe und Michael Siebels

Literatur

1. Middleton LP et al. Second-opinion pathologic review is a patient safety mechanism that helps reduce error and decrease waste. *J Oncol Pract* 2014; 10(4): 275–80
2. Bashshur RL et al. Sustaining and realizing the promise of telemedicine. *Telemed J E Health* 2013; 19(5): 339–45
3. Arentz C. Regionale Verteilung von Ärzten in Deutschland und anderen ausgewählten OECD-Ländern. WIP-Diskussionspapier 2017
4. Doolittle C et al. A cost analysis of a tele-oncology practice in the United States. *J Telemed Telecare* 2004; 10 Suppl 1: 27–9
5. Tätigkeitsbericht der Bundesärztekammer 2021
6. Schrader M et al. Nationale Zweitmeinungsnetzwerke Hodentumoren und Peniskarzinom. *Der Urologe* 2016
7. Leitsmann M et al. Nutzung von Telekonsilien am Beispiel des metastasierten Nierenzellkarzinoms (E-Konsil Urologie). *Journal für Urologie und Urogynäkologie/Österreich* 2023; 30(4): 135–8

Nadofaragene firadenovec-vncg (rAd-IFN/Syn3): Gentherapie beim BCG-refraktären Urothelkarzinom

Günter Niegisch

Literatur

1. Narayan VM et al. Mechanism of action of nadofaragene firadenovec-vncg. *Front Oncol* 2024; 14: 1359725
2. Boorjian SA et al. Intravesical nadofaragene firadenovec gene therapy for BCG-unresponsive non-muscle-invasive bladder cancer: a single-arm, open-label, repeat-dose clinical trial. *Lancet Oncol* 2021; 22(1): 107–17
3. Narayan VM et al. Efficacy of Intravesical Nadofaragene Firadenovec for Patients with Bacillus Calmette-Guerin-Unresponsive Nonmuscle-Invasive Bladder Cancer: 5-Year Follow-up from a Phase 3 Trial. *J Urol* 2024: 101097JU0000000000004020
4. Necchi A et al. Pembrolizumab monotherapy for high-risk non-muscle-invasive bladder cancer without carcinoma in situ and unresponsive to BCG (KEYNOTE-057): a single-arm, multicentre, phase 2 trial. *Lancet Oncol* 2024
5. Di Lorenzo G et al. Gemcitabine versus bacille Calmette-Guerin after initial bacille Calmette-Guerin failure in non-muscle-invasive bladder cancer: a multicenter prospective randomized trial. *Cancer* 2010; 116(8): 1893–900

Rekonstruktion transspinktärer Harnröhrenstrikturen

Navid Rössler, Malte W. Vetterlein, Roland Dahlem

Literatur

1. Bertrand LA et al. Lower urinary tract pain and anterior urethral stricture disease: prevalence and effects of urethral reconstruction. *J Urol* 2015; 193(1): 184–9
2. Alwaal A et al. Epidemiology of urethral strictures. *Transl Androl Urol* 2014; 3(2): 209–13
3. Brandes SB, Morey AF. Advanced Male Urethral and Genital Reconstructive Surgery 2014
4. Angulo JC, Gomez RG, Nikolavsky D. Reconstruction of Membranous Urethral Strictures. *Curr Urol Rep* 2018; 19(6): 37
5. Rassweiler J et al. Complications of transurethral resection of the prostate (TURP)—incidence, management, and prevention. *Eur Urol* 2006; 50(5): 969–79; discussion 980
6. Nielsen KK, Nordling J. Urethral stricture following transurethral prostatectomy. *Urology* 1990; 35(1): 18–24
7. Elliott SP et al. Incidence of urethral stricture after primary treatment for prostate cancer: data From CAPSURE. *J Urol* 2007; 178(2): 529–34; discussion 534
8. Lumen N, Oosterlinck W. Challenging non-traumatic posterior urethral strictures treated with urethroplasty: a preliminary report. *Int Braz J Urol* 2009; 35(4): 442–9
9. Mundy AR, Andrich DE. Posterior urethral complications of the treatment of prostate cancer. *BJU Int* 2012; 110(3): 304–25
10. Sullivan L et al. Urethral stricture following high dose rate brachytherapy for prostate cancer. *Radiother Oncol* 2009; 91(2): 232–6
11. Bjurlin MA et al. Genitourinary injuries in pelvic fracture morbidity and mortality using the National Trauma Data Bank. *J Trauma* 2009; 67(5): 1033–9
12. Bugeja S, Andrich DE, Mundy AR. Fistulation into the Pubic Symphysis after Treatment of Prostate Cancer: An Important and Surgically Correctable Complication. *J Urol* 2016; 195(2): 391–8
13. Lumen N et al. European Association of Urology Guidelines on Urethral Stricture Disease (Part 1): Management of Male Urethral Stricture Disease. *Eur Urol* 2021; 80(2): 190–200
14. Klemm J et al. Contemporary management of pelvic fracture urethral injuries. *Urologie* 2022; 61(6): 602–8
15. Flynn BJ, Delvecchio FC, Webster GD. Perineal repair of pelvic fracture urethral distraction defects: experience in 120 patients during the last 10 years. *J Urol* 2003; 170(5): 1877–80
16. Hofer MD et al. Outcomes after urethroplasty for radiotherapy induced bulbomembranous urethral stricture disease. *J Urol* 2014; 191(5): 1307–12
17. Meeks JJ et al. Urethroplasty for radiotherapy induced bulbomembranous strictures: a multi-institutional experience. *J Urol* 2011; 185(5): 1761–5
18. LaBossiere JR, Cheung D, Rourke K. Endoscopic Treatment of Vesicourethral Stenosis after Radical Prostatectomy: Outcomes and Predictors of Success. *J Urol* 2016; 195(5): 495–1500
19. Rosenbaum CM et al. Anastomosis stenosis after radical prostatectomy and bladder neck stenosis after benign prostate hyperplasia treatment: reconstructive options. *Urologe A* 2020; 59(4): 398–407
20. Reiss CP et al. Transperineal reanastomosis for the treatment for highly recurrent anastomotic strictures as a last option before urinary diversion. *World J Urol* 2014; 32(5): 1185–90
21. Schuettfort VM et al. Transperineal reanastomosis for treatment of highly recurrent anastomotic strictures after radical retropubic prostatectomy: extended follow-up. *World J Urol* 2017; 35(12): 1885–90
22. Mousa A et al. Outcomes of Ventral Onlay Buccal Mucosal Graft Urethroplasty in Bulbomembranous Urethral Strictures Post-transurethral Resection of the Prostate. *Urology* 2024; 186: 9–14

23. Barbagli G et al. Repair of sphincter urethral strictures preserving urinary continence: surgical technique and outcomes. *World J Urol* 2019; 37(11): 2473–9
24. Vetterlein MW et al. Buccal mucosal graft urethroplasty for radiation-induced urethral strictures: an evaluation using the extended Urethral Stricture Surgery Patient-Reported Outcome Measure (USS PROM). *World J Urol* 2020; 38(11): 2863–72
25. Chai Y, Hei TK. Radiation Induced Bystander Effect in vivo. *Acta Med Nagasaki* 2008; 53: 65–9
26. Angulo JC et al. Multi-Institutional Study of Dorsal Onlay Urethroplasty of the Membranous Urethra after Endoscopic Prostate Procedures: Operative Results, Continence, Erectile Function and Patient Reported Outcomes. *J Clin Med* 2021; 10(17)
27. Policastro CG et al. A multi-institutional critical assessment of Dorsal Onlay urethroplasty for post-radiation urethral stenosis. *World J Urol* 2021; 39(7): 2669–75
28. Gimbernat H et al. Treatment for long bulbar urethral strictures with membranous involvement using urethroplasty with oral mucosa graft. *Actas Urol Esp* 2014; 38(8): 544–51
29. Lumen N. DoVe Trial: Dorsal Onlay Versus Ventral Onlay in Isolated Bulbar Urethral Strictures (DoVe). 2024; Available from: <https://clinicaltrials.gov/study/NCT04551417>
30. Glass AS et al. Urethroplasty after radiation therapy for prostate cancer. *Urology* 2012; 79(6): 1402–5
31. Merrick GS et al. Risk factors for the development of prostate brachytherapy related urethral strictures. *J Urol* 2006; 175(4): 1376–80; discussion 1381
32. Sack BS et al. Cystectomy and Urinary Diversion for the Management of a Devastated Lower Urinary Tract Following Prostatic Cryotherapy and/or Radiotherapy. *WMJ* 2016; 115(2): 70–3

Mehrzeitige Salvage-Operationen nach multiplen fehlgeschlagenen Harnröhrenrekonstruktionen

Mikhail Borisenkov, Abhishek Pandey

Literatur

1. Barbagli G et al. Failed hypospadias repair presenting in adults. *Eur Urol* 2006; 49(5): 887–94; discussion 895
2. Moncrief T et al. Trauma and Urologic Reconstruction Network of Surgeons. Urethral Rest with Suprapubic Cystostomy for Obliterative or Nearly Obliterative Urethral Strictures: Urethrographic Changes and Implications for Management. *J Urol* 2018; 199(5): 1289–95

Die Robotische Neoblase die Wuppertaler Perspektive

Karina Blinova und Friedrich-Carl von Rundstedt

Literatur

1. Clifford TG et al. Prospective Evaluation of Continence Following Radical Cystectomy and Orthotopic Urinary Diversion Using a Validated Questionnaire. *J Urol* 2016; 196
2. Daneshmand S. Urinary diversion 2015: Controversies and new technologies Choosing the “right” diversion. *Curr Opin Urol* 2015; 25
3. Rouanne M et al. Long-term women-reported quality of life after radical cystectomy and orthotopic ileal neobladder reconstruction. *Ann Surg Oncol* 2014; 21

4. Hautmann RE. Urinary diversion: Ileal conduit to neobladder. *J Urol* 2003; 169
5. Bochner BH et al. Comparing open radical cystectomy and robot-assisted laparoscopic radical cystectomy: A randomized clinical trial. *Eur Urol* 2015; 67
6. Parekh DJ et al. Robot-assisted radical cystectomy versus open radical cystectomy in patients with bladder cancer (RAZOR): an open-label, randomised, phase 3, non-inferiority trial. *The Lancet* 2018; 391
7. Ahmed K et al. Analysis of intracorporeal compared with extracorporeal urinary diversion after robot-assisted radical cystectomy: Results from the international robotic cystectomy consortium. *Eur Urol* 2014; 65
8. Dalimov Z et al. Intracorporeal Versus Extracorporeal Neobladder After Robot-assisted Radical Cystectomy: Results from the International Robotic Cystectomy Consortium. *Urology* 2022; 159
9. Wijburg CJ et al. Robot-assisted Radical Cystectomy Versus Open Radical Cystectomy in Bladder Cancer Patients: A Multicentre Comparative Effectiveness Study. *Eur Urol* 2021; 79
10. Catto JWF, Khetrapal P, Ambler G. Effect of Robot-Assisted Radical Cystectomy vs Open Radical Cystectomy on 90-Day Morbidity and Mortality among Patients with Bladder Cancer - Reply. *JAMA* 2022; 328
11. Piramide F et al. Atlas of Intracorporeal Orthotopic Neobladder Techniques After Robot-assisted Radical Cystectomy and Systematic Review of Clinical Outcomes. *Eur Urol* 2024; 85
12. Hussein AA et al. Robot-assisted approach to 'W'-configuration urinary diversion: a step-by-step technique. *BJU Int* 2017; 120
13. Gschwend JE. Operative Techniken: Ileum-Neoblase nach Hautmann. *Aktuelle Urol* 2009; 40
14. Gemma L et al. Robot assisted radical cystectomy with florence robotic intracorporeal neobladder (FloRIN): a six-month assessment of functional and urodynamic features compared with a contemporary series of open vescica ileale padovana (VIP). *Eur Urol Open Sci* 2021; 32
15. Mao W et al. Robot-Assisted Laparoscopic Radical Cystectomy and Modified Y-Shaped Ileal Orthotopic Neobladder Reconstruction. *Front Surg* 2022; 9
16. Checcucci E et al. Robot-assisted-radical-cystectomy with total intracorporeal Y neobladder: Analysis of postoperative complications and functional outcomes with urodynamics findings. *Eur J Surg Oncol* 2022; 48
17. Hinman F. Selection of intestinal segments for bladder substitution: Physical and physiological characteristics. *J Urol* 1988; 139
18. Tan WS et al. Organ-sparing radical cystectomy: improving functional outcomes. *Trends in Urology & Men's Health* 2022; 13
19. Richter LA et al. Vaginal Complications after Cystectomy: Results from a Medicare Sample. *J Urol* 2022; 207
20. Ahmadi N et al. Use of indocyanine green to minimise uretero-enteric strictures after robotic radical cystectomy. *BJU Int* 2019; 124
21. Lambertini L et al. Stentless florence robotic intracorporeal neobladder (FloRIN), a feasibility prospective randomized clinical trial. *Eur J Surg Oncol* 2024; 50