

# Korrekte Patientenselektion für die fokale Therapie: Welchen Stellenwert hat die MRT / TRUS Fusionsbiopsie?

Alexander Mangold, Roman Ganzer

## Literatur

1. Valerio M et al. The role of focal therapy in the management of localised prostate cancer: a systematic review. *European urology* 2014; 66: 732–51
2. Isbarn H et al. Unilateral prostate cancer cannot be accurately predicted in low-risk patients. *Int J Radiat Oncol Biol Phys* 2010; 77: 784–7
3. Barentsz JO et al. Synopsis of the PI-RADS v2 Guidelines for Multiparametric Prostate Magnetic Resonance Imaging and Recommendations for Use. *European urology* 2016; 69: 41–9
4. Kasivisvanathan V et al. Transperineal magnetic resonance image targeted prostate biopsy versus transperineal template prostate biopsy in the detection of clinically significant prostate cancer. *The Journal of urology* 2013; 189: 860–6
5. Tay KJ et al. Patient selection for prostate focal therapy in the era of active surveillance: an International Delphi Consensus Project. *Prostate cancer and prostatic diseases* 2016; 20: 294–9
6. Van den Bos W et al. Focal therapy in prostate cancer: international multidisciplinary consensus on trial design. *European urology* 2014; 65: 1078–83
7. Ahmed HU et al. Focal therapy for localized prostate cancer: a phase I/II trial. *The Journal of urology* 2011; 185: 1246–54
8. Ahmed HU et al. Diagnostic accuracy of multi-parametric MRI and TRUS biopsy in prostate cancer (PROMIS): a paired validating confirmatory study. *Lancet* 2017; 389: 815–22
9. Kasivisvanathan V et al. MRI-Targeted or Standard Biopsy for Prostate-Cancer Diagnosis. *N Engl J Med* 2018; 378: 1767–77
10. Rouviere O et al. Use of prostate systematic and targeted biopsy on the basis of multiparametric MRI in biopsy-naive patients (MRI-FIRST): a prospective, multicentre, paired diagnostic study. *The Lancet Oncology* 2019; 20: 100–9
11. Nassiri N et al. Focal Therapy Eligibility Determined by Magnetic Resonance Imaging/Ultrasound Fusion Biopsy. *The Journal of urology* 2018; 199: 453–8
12. Johnson DC et al. Do contemporary imaging and biopsy techniques reliably identify unilateral prostate cancer? Implications for hemiablation patient selection. *Cancer* 2019; 125: 2955–64
13. Choi YH et al. Combination of multiparametric magnetic resonance imaging and transrectal ultrasound-guided prostate biopsies is not enough for identifying patients eligible for hemiablation focal therapy for prostate cancer. *World journal of urology* 2019; 37: 2129–35